# **State: Uttar Pradesh**

# **Agriculture Contingency Plan for District: Rampur**

1.0	District Agriculture profile									
1.1	Agro-Climatic/Ecological Zone									
	Agro Ecological Sub Region (ICAR)	Northern Plain, Hot Subhui	Northern Plain, Hot Subhumib (Dry) Eco-Region (9.2)							
	Agro-Climatic Zone (Planning Commission)	Upper Gangetic plain zone	(V)							
	Agro Climatic Zone (NARP)	Bhabar and Terai zone (UI	Bhabar and Terai zone (UP-2)							
	List all the districts falling under the NARP Zone* (*>50% area falling in the zone)	Pilibhit, Bareilly, Moradaba	nd, Shahjanpur, Badaun, Bijnor,	Jyotibaphule Nagar						
	Geographic coordinates of district headquarters	Latitude	Longitude	Altitude						
		28° 25' & 29° 10' N	78 <sup>0</sup> 54'	88 mt.						
	Name and address of the concerned ZRS/ZARS/RARS/RRS/RRTTS									
	Mention the KVK located in the district with address	K.V.K, Dhamoura, Rampu	of S.V.P.U. A & T, Meerut							
	Name and address of the nearest Agromet Field Unit (AMFU, IMD) for agro- advisories in the Zone	IVRI Bareilly U.P. & S.V.F	IVRI Bareilly U.P. & S.V.P. University, Meerut							

1.2	Rainfall	Normal RF(mm)	Normal Rainy days (number)	Normal Onset ( specify week and month)	Normal Cessation (specify week and month)
	SW monsoon (June-Sep)	815.4	58	2 <sup>nd</sup> week of June	3 <sup>rd</sup> week of Sept
	NE Monsoon(Oct-Dec)	38.7	13	3 <sup>rd</sup> week of Dec	2 <sup>nd</sup> week of Jan
	Winter (Jan- March)	66.5	15	-	-
	Summer (Apr-May)	23.7	8	-	-

Annual	944.3	94	-	-

1.3	Land use pattern of the district (latest statistics)	Geographical area	Cultivable area	Forest area	Land under non- agricultural use	Permanent pastures	Cultivable wasteland	Land under Misc. tree crops and groves	Barren and uncultivable land	Current fallows	Other fallows
	Area ('000 ha)	235.726	193.243	6.611	27.240	0.003	0.113	1.173	6.611	1.732	0.589

1.4	Major Soils (common names like red	Area ('000 ha)	Percent (%) of total
	sandy loam deep soils (etc.,)*		
	1. Sandy loam	24.15	12.5
	2. Loam	69.95	36.2
	3. Black Tarai soil	55.46	28.7
	4.Clay loam	27.44	14.2
	5. Silty Clay loam	19.90	10.3

1.5	Agricultural land use	Area ('000 ha)	Cropping intensity %
	Net sown area	193.243	192.23%
	Area sown more than once	178.237	
	Gross cropped area	371.480	

1.6	Irrigation	Area ('000 ha)		
	Net irrigated area	168.118		
	Gross irrigated area	355.061		
	Rainfed area	25.125		
	Sources of Irrigation	Number	Area ('000 ha)	Percentage of total irrigated area
	Canals		1.313	0.78 %
	Tanks		0.314	0.18 %
	Open wells		48.624	28.90 %
	Bore wells		117.371	69.98 %
	Lift irrigation schemes	NIL		-
	Micro-irrigation			-
	Other sources (please specify)		0.496	0.30 %
	Total Irrigated Area			
	Pump sets			

No. of Tractors			
Groundwater availability and use* (Data	No. of blocks/	(%) area	Quality of water (specify the probler
source: State/Central Ground water	Tehsils		such as high levels of arsenic,
Department /Board)	Block-6		fluoride, saline etc)
Over exploited	Nil	Nil	good
Critical	1	Nil	good
Semi- critical	2	Nil	good
Safe	3	Nil	good
Wastewater availability and use	Nil	Nil	good
Ground water quality		<u> </u>	<u> </u>

#### 1.7 Area under major field crops & horticulture (as per latest figures) (2008-09)

1.7	S.No.	Major field crops				Area ('(	000 ha)			
		cultivated		Kharif			Rabi			
			Irrigated	Rainfed	Total	Irrigated	Rainfed	Total	Summer	Grand total
	1	Rice	110.054	-	116.154	-	-	-	6.100	116.154
	2	Wheat	-	-	-	135.63	-	135.63	-	135.63
	3	Sugarcane	-	-	-	22.385	-	22.385	-	22.385
	4	Maize /Pearl millet	-	1.507	1.507	-	-	-	0.887	2.394
	5	Toria	-	-	-	12.228	3.768	15.996	-	15.996
	6	Lentil	-	-	-	-	1.342	1.432	-	1.432
	7	Mentha	-	-	-	1.321	-	1.321	-	1.321
	8	Mustard	-	-	-	3.276	1.548	4.824	-	4.824

S.No.	Horticulture crops -	Horticulture crops - Area ('000 ha)						
	Fruits	Total	Irrigated	Rainfed				
1	Mango	2.523	1.513	1.009				
2	Muskmelon	0.778	0.446	0.311				
3	Guava	0.139	0.083	0.055				
	Horticulture crops -	Total	Irrigated	Rainfed				
	Vegetables							
1	Potato	1.722	1.722	-				
2	Pea	0.677	0.677	-				
	Medicinal and	Total	Irrigated	Rainfed				
	Aromatic crops							

1				
	Plantation crops	Total	Irrigated	Rainfed
1	Poplar	5.465	5.465	-
2	Eucliptus	1.654	-	1.654
	Eg., industrial pulpwood crops etc.			
	Fodder crops	Total	Irrigated	Rainfed
1	Sorghum	28.658	13.216	15.442
2	Pearl millet	6.889	-	6.889
3	Berseem	3.162	3.162	-
	Total fodder crop	38.709	16.378	22.331
	area			
	Grazing land			
	Sericulture etc			

1.8	Livestock		Male ('000)		Female ('000)	Tot	al ('000)
	Non descriptive Cattle (local l	ow yielding)	65.849		164.347	2:	30.196
	Improved cattle	NA		NA		NA	
	Crossbred cattle		16.841		34.203	5	51.044
	Non descriptive Buffaloes (loc	cal low yielding)	69.358		170.679	24	40.037
	Descript Buffaloes	Descript Buffaloes			73.148	1	02.873
	Goat	38.392 99.627		99.627	1:	38.019	
	Sheep Indi + Exotic	(4.012+.091)		(4.858+.088)	9	9.049	
	Others (Camel, Pig, Yak etc.)					5:	37.883
	Commercial dairy farms (Num	Commercial dairy farms (Number)					
1.9	Poultry		No. of farms		Tot	al No. of birds ('000)	
	Commercial		20		3.403		
	Backyard				(47.	.318+52.262)=99.580	
1.10	Fisheries (Data source: Chief	Planning Officer)		1			
	A. Capture						
	i) Marine (Data Source: Fisheries Department)	No. of fishermen	Boa	ts		Nets	Storage facilities (Ice
			Mechanized	Non-	Mechanized	Non-mechanized	plants etc.)

i) Marine (Data Source: Fisheries Department)	No. of fishermen	Boats		Nets		Storage facilities (Ice
		Mechanized	Non- mechanized	Mechanized (Trawl nets,	Non-mechanized (Shore Seines, Stake &	plants etc.)
				Gill nets)	trap nets)	
	-	ı	1	-	-	-

ii) Inland (Data Source: Fisheries Department)	No. Farmer owned ponds	No. of Reservoirs	No. of village tanks	
B. Culture		Water Spread Area (ha)	Yield (t/ha)	Production ('000 tons)
i) Brackish water (Data Source	: MPEDA/ Fisheries Department)	-	-	
ii) Fresh water (Data Source: Fisheries Department)		-	-	-
Others		-	-	-

## 1.11 Production and Productivity of major crops (Average of last 5 years: 2008-09)

1.11	Name of crop		Kharif	R	<b>Rabi</b>	Sui	mmer	Т	otal	Crop residue as
		Production	Productivity	Production	Productivity	Production	Productivity	Production	Productivity	fodder ('000
		('000 t)	(kg/ha)	('000 t)	(kg/ha)	('000 t)	(kg/ha)	('000 t)	(kg/ha)	tons)
Major	Field crops (Cro	ps to be identi	fied based on total	acreage)			•			
	Rice	247072	2245	-	-	13.964	2245	260.766	2245	
	Wheat	-	-	469.961	3465	-	-	469.961	3465	
	Sugarcane	-	-	1291.525	-57696	-	-	1291.525	57696	
	Maize /Pearl millet	2.746	1410	-	-	1.886	2122	4.011	1675	
	Toria	-	-	14.682	918	-	-	14.682	918	
	Mustard	-	-	5.019	1040	-	-	5.019	1040	
	Menthe	-	-	-	-	0.214	162	0.214	162	
	Lentil	-	-	1.118	781	-	-	1.118	781	
Major	Horticultural cro	ps (Crops to b	e identified based o	n total acreag	ge)					
	Mango	-	-	-	-	-	-	30.155	1195	-
	Muskmelon	-	-	_	-	-	-	20.228	2500	-


Guava		1.567	1127	-
-------	--	-------	------	---

1.12	Sowing window for 5 major field crops (start and end of normal sowing period)	Rice	Wheat	Sugar cane	Toria &mustard	Mentha
	Kharif- Rainfed	-	-	-	-	-
	Kharif-Irrigated	-	=	=	=	-
	Rabi- Rainfed	-	-	-	Sep-Oct	-
	Rabi-Irrigated	May-July	Nov-Dec	March-April	Sep-Oct	Jan-march


1.13	What is the major contingency the district is prone to? (Tick mark)	Regular	Occasional	None
	Drought	X	V	X
	Flood	X	V	X
	Cyclone	X	X	$\sqrt{}$
	Hail storm	X	$\sqrt{}$	X
	Heat wave	X	$\sqrt{}$	X
	Cold wave	X	V	X
	Frost	X	$\sqrt{}$	X
	Sea water intrusion	X	X	V
	Pests and disease outbreak (specify)Pyrilla, Stem borer, Sheath blight, Rust, Powdery mildew etc	V	X	X
	Others (specify) Fog	x	V	х

1.14	Include Digital maps of the district for	Location map of district within State as Annexure I	Enclosed: Yes
		Mean annual rainfall as Annexure 2	Enclosed: No
		Soil map as Annexure 3	Enclosed: Yes

#### **Annexure I- Location map**



#### Annexure III- Soil map



Legend	Description				
1&3	Deep, loamy soils				
2 &4	Deep, loamy soils and silty soils				
5	Deep, fine soils and loamy soils				
6	Deep, loamy soils(moderate salinity and sodicity) and loamy soils (moderate salinity and strong sodicity)				
7	Deep, silty soils and loamy soils				
8	Deep, loamy soils and loamy soils				
9	Deep, loamy soils and sandy soils				
10	Deep, sandy soils(moderate flooding) and loamy soils(slight flooding).				
11	Deep, loamy soils (moderate flooding)				

### 2.0 Strategies for weather related contingencies

### 2.1 Drought

#### 2.1.1 Rainfed situation

Condition			Suggested C	ontingency measur	es
Early season drought (delayed onset)	Major Farming situation	Normal Crop / Cropping system	Change in crop / cropping system including variety	Agronomic measures	Remarks on Implementatio n
Delay by 2 weeks 4 <sup>th</sup> Week of June	Deep soil, yellow colored alluvial loam soils	Maize/ Pearl millet/ Pigeonpea/	Maize: Kanchan, Navin Navjyoti, Azad utam, Surya, Meerut pili, Ganga 2,11 Samrat etc Sorghum: CSH 14, 16, CSB 13, 15, SPB 1338 etc Pearl millet: Raj-171, WCC- 75, Pusa 23, 322 icmh-451 Pigeonpea: UPAS 120, ICPL 151, Pusa 33,	<ul> <li>Conservation furrow</li> <li>Inter- cultivation</li> <li>Sowing with multi seed drill</li> <li>Wider spacing for pigeonpea</li> </ul>	<ul> <li>Seed-drill under RKVY</li> <li>Supply of seed through govt. agencies ie. NFSM,RKVY</li> <li>Re-scheduling of canal calendar</li> </ul>
Condition			Suggested C	ontingency measur	es
Early season drought (delayed onset)	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementatio
Delay by 4 weeks  2 <sup>nd</sup> Week of July	Deep soil, yellow colored alluvial loam soils	Maize/ Pearl millet/ Sesame/ Blackgram	Maize: Kanchan, Navin Navjyoti, Azad utam,Surya,Meerut pili,Ganga 2,11 Samrat etc Pearl millet: Raj-171,WCC- 75,Pusa 23, 322 icmh-451 Sesame: Pergati, shekar, TA- 78, TA-12 Blackgram: Narender Blackgram-1, Pant U-30, 19, 35 etc	<ul> <li>Conservation furrow</li> <li>Inter- cultivation</li> <li>Sowing with multi seed drill</li> </ul>	Seed-drill under RKVY Supply of seed through govt. agencies <i>ie</i> . NFSM
Condition			Suggested C	ontingency measur	es
Early season drought	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation

Delay by 6 weeks 4 <sup>th</sup> week of July	Deep soil, yellow colored alluvial loam soils	Blackgram/Greengram/ Toria Pearl millet	Blackgram: Narender Blackgram-1, Pant U-30, 19, 35 Greengram: Pantmung - 2, 3, Narender mung -1, 4, SML-668, PDM-11  Pearl millet: Raj-171,WCC- 75,Pusa 23, 322 icmh-451	Sowing with multi seed drill	Re-scheduling of canal calendar
Condition			Suggested (	Contingency measur	es
Early season	Major Farming		Change in crop/cropping	Agronomic	Remarks on
drought	situation		system	measures	Implementatio
					n
Delay by 8	Deep soil,	Toria	<b>Toria:</b> P.T30, 507, 303,	<ul> <li>Conservation</li> </ul>	• Seed-drill
weeks	yellow colored		Bhawani, T-9	furrow	under RKVY
2 <sup>nd</sup>	alluvial loam			<ul> <li>Inter-cultivation</li> </ul>	Supply of
Week of	soils			<ul> <li>Sowing with</li> </ul>	seed
August				multi seed drill	through
					govt.
					agencies ie.
					NFSM

Condition			Suggested	Contingency measures	
Early season drought (Normal onset)	Major Farming situation	Normal Crop / Cropping system	Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation
Normal onset followed by 15-20 days dry spell after sowing leading to poor germination/c rop stand etc.	Irrigated up land	Rice: PS 4, 5, PB 1, PRH 10 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284 / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Maize: Kanchan, Sweta, Navin, Surya, Azad uttam, Navjyoti, Jaunpuri, Meerut pili / Pearl millet:Raj-171,WCC-75,Pusa 23, 322 icmh-451	Thining, weeding and gap filling in existing crop.     Re sowing     Selection/nursery sowing of short duration rice cultivar	<ul> <li>Inter cultivation</li> <li>Conservation furrow</li> <li>Thinning and weeding</li> <li>Mulching</li> </ul>	Supply of inter cultural implements through RKVY     Farm ponds through IWSM programme     Pulse crop seeds supply through NFSM

	Irrigated low land  Un irrigated up land  Un irrigated low land	Rice: PS 2,3, PB 1, Sarju 52, Pant 4 Narendra 359, Saket 4 / Sorghum (Fodder): Kanpuri, UP Chari 1,2 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284  Maize/Sorghum / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Pigeonpea: UPAS 120, ICPL 151  Pigeonpea: UPAS 120, ICPL 151 / Pearl millet: Local Merut pili			
Condition			Suggested	Contingency measures	
Mid season drought (long dry spell, consecutive 2 weeks rainless (>2.5 mm) period)	Major Farming situation	Normal Crop/cropping system	Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation
At vegetative stage	Irrigated up land	Rice: PS 4, 5, PB 1, PRH 10 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284 / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Maize: Kanchan, Sweta, Navin, Surya, Azad uttam, Navjyoti, Jaunpuri, Meerut pili / Pearl millet: Raj-171,WCC-75,Pusa 23, 322 icmh-451	1. Thining, weeding and gap filling in existing crop. 2. Re sowing 3. Postponement of top dressing 4. Life saving irrigation	<ul> <li>Inter cultivation</li> <li>Conservation furrow</li> <li>Thinning and weeding</li> <li>Mulching</li> </ul>	Supply of inter cultural implements through RKVY     Farm ponds through IWSM programme     Pulse crop seeds supply through NFSM     Micro/drip/spr inkler

Irrigated low land	Rice: PS 2,3, PB 1, Sarju 52, Pant 4, Narendra 359, Saket 4 / Sorghum (Fodder): Kanpuri, UP Chari 1,2 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284		irrigation under govt. schemes
Un irrigated up land	Maize/Sorghum / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Pigeonpea: UPAS 120, ICPL 151		
Un irrigated low land	Pigeonpea: UPAS 120, ICPL 151 / Pearl millet: Local Merut pili		

Condition			Suggested	Contingency measures	}
Mid season drought (long dry spell)	Major Farming situation	Normal Crop/cropping system	Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation
At flowering/ fruiting stage	Irrigated up land	Rice: PS 4, 5, PB 1, PRH 10 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284 / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Maize: Kanchan, Sweta, Navin, Surya, Azad uttam, Navjyoti, Jaunpuri, Meerut pili / Pearl millet: Raj-171, WCC-75, Pusa 23, 322 icmh-451	1. Thining, weeding and gap filling in existing crop. 2. Life saving irrigation 3. Weeding and weed mulching	<ul> <li>Conservation furrow</li> <li>Thinning and weeding</li> <li>Mulching</li> <li>Urea spray or KCL spray</li> </ul>	• Farm ponds through IWSM programme
	Irrigated low land	Rice: PS 2,3, PB 1, Sarju 52, Pant 4, Narendra 359, Saket 4 / Sorghum (Fodder): Kanpuri, UP Chari 1,2 / Sugarcane: 64, 88230, 92254, 95255, COS 767,			

	8432, 97284		
Un irrigated	Maize/Sorghum / Toria: T-36,T-9,Bhawani, PT-30,303,507 /		
up land	Pigeonpea: UPAS 120, ICPL 151		
Un irrigated	Pearl millet: Local Merut pili /	_	
low land	<b>Toria:</b> T-36,T-9,Bhawani, PT-30,303,507		

Condition			Suggeste	ed Contingency measure	s
	Major Farming situation	Normal Crop/cropping system	Crop management	Rabi crop planning	Remarks on Implementation
Terminal drought (Early withdrawal of monsoon)	Irrigated up land  Irrigated lowland  Un irrigated up land	Rice: PS 4, 5, PB 1, PRH 10 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284 / Toria: T-36,T-9,Bhawani, PT-30,303,507 / Maize: Kanchan, Sweta, Navin, Surya, Azad uttam, Navjyoti, Jaunpuri, Meerut pili / Pearl millet:Raj-171,WCC-75,Pusa 23, 322 ICMH-451 / Rice: PS 2,3, PB 1, Sarju 52, Pant 4, Narendra 359, Saket 4 / Sorghum (Fodder): Kanpuri, UP Chari 1,2 / Sugarcane: 64, 88230, 92254, 95255, COS 767, 8432, 97284  Maize/Sorghum/ Toria: T-36,T-9,Bhawani, PT-30,303,507 / Pigeonpea: UPAS 120, ICPL 151	1.Life saving irrigation 2. Picking/harvesting of pods/ear 3.Harvest at physiological maturity stage 4.Harvest for fodder	<ul> <li>Toria/mustard</li> <li>Potato</li> <li>Pea/gram</li> <li>Barseem/oat</li> <li>Land labeling</li> </ul>	<ul> <li>Farm ponds through IWSM programme</li> <li>Supply of seed through ISOPM</li> <li>Harvesting and threshing implements through RKVY</li> <li>Supply of land lazer labeler through CLDP or RKVY</li> </ul>
	Un irrigated low land	Pigeonpea: UPAS 120, ICPL 151 / Pearl millet: Local Merut pili / Toria: T-36,T-9,Bhawani, PT-30,303,507			

### 1.1.2. Draught Irrigated situation

Condition			Suggested Contingency measures		
	Major Farming situation	Normal Crop/ cropping system	Change in crop/cropping system	Agronomic measur	Remarks on Implementation
Delayed release of water in canals due to low rainfall	Up land sandy loam soils	Rice (Basmati)-Wheat  Sorghum (Fodder)/ Maize-Potato/ Wheat  Sugarcane +cucurbits - Ratoon-Wheat	Replace rice with maize or aerobic rice Pearl millet/Greengram/ Blackgram - Potato/ Wheat No change	Use short duration varieties     Rice: PS 4, 5, PB 1, PRH 10     Maize: Kanchan, Sweta, Navin, Surya     Pearl millet: Wcc-75, Raj-171, Pusa-23, Pusa-322     Light irrigation with tube well water     Follow alternate wetting and drying schedule of irrigation in rice     Alternate Furrow irrigation     Mulching in sugarcane / maize	Seed through     KSSC and     NFSM     Adequate supply     of     electricity/diesel     should be     ensured by the     Govt. agencies.
	Low land clay loam soils	Rice-wheat Sorghum Fodder-Wheat Sugarcane-Ratoon- Wheat	Basmati rice -Wheat Pearl millet-Wheat No change	Use short duration varieties e.g.     Rice: PS 4, 5, PB1, PRH 10     Maize: Kanchan, Sweta, Navin, Surya     Pearl millet (Fodder): Wcc-75,Raj-171,Pusa-23,Pusa-322     Light irrigation with tube well water     Follow alternate wetting and drying schedule of irrigation in rice     Alternate Furrow irrigation     Mulching in sugarcane	Seed through     KSSC and     NFSM     Adequate supply     of     electricity/diesel     should be     ensured by the     Govt. agencies.
Condition				Suggested Contingency measures	
	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Limited release of water in canals due to low rainfall	Up land sandy loam soils  Rice (Basmati)-Wheat  Sorghum (Fodder)/ Maize- Potato/ Wheat  Sugarcane +cucurbits -Ratoo Wheat			<ul> <li>Light irrigation with tube well water at critical stages only e.g CRI, Tillering &amp;.Flowering stage</li> <li>Follow alternate wetting and drying schedule of irrigation in rice</li> <li>Alternate Furrow irrigation</li> <li>Mulching in sugarcane/ maize</li> </ul>	Adequate supply of electricity/diese I should be ensured by the Govt. agencies.
	Low land clay loam	Rice-wheat	No change	Light irrigation with tube well	Supply of inter

Condition			Suggested Contingency measures			
	Major Farming	Normal Crop/ cropping	Change in crop/cropping	Agronomic measur	Remarks on	
	situation	system	system		Implementation	
	soils	Sorghum Fodder-Wheat	No change	water at critical stages only	cultural	
		Sugarcane-Ratoon-Wheat	No change	e.g CRI, Tillering &.Flowering stage  • Follow alternate wetting and drying schedule of irrigation in rice  • Alternate Furrow irrigation  • Mulching in sugarcane	implements through RKV  • Adequate supply of electricity/diesel should be ensured by the Govt. agencies.	

Condition			Suggested Contingency measures			
	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation	
Non release of water in canals under delayed onset of monsoon in catchment	Up land tube well irrigated canal sandy loam soil  Low land tube well irrigated canal clay	Basmati rice Sorghum/Maize	Maize/ Arabic Rice Pearl millet / Pigeon pea /Blackgram	<ul> <li>Alternate Furrow irrigation</li> <li>Drip irrigation</li> <li>Mulching</li> <li>KSSC NFSM</li> <li>Supply cultura implen</li> </ul>	KSSC and NFSM	
		Sugarcane +cucurbits	Sugarcane		<ul> <li>Supply of inter cultural implements through RKVY</li> </ul>	
		Rice	Pearl millet/ Blackgram /Greengram	<ul><li>Limited irrigation</li><li>Alternate Furrow</li></ul>	• Seed through KSSC and	
	loam soil	Sorghum Fodder	Pearl millet/Sorghum Fodder	irrigation	NFSM	
		Sugarcane + cucurbits	Sugarcane	<ul><li> Drip irrigation</li><li> Mulching</li><li> Alternate furrow irrigation</li></ul>	Harvesting and threshing implements through RKVY	

Condition			Suggested Contingency measures			
	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation	
Lack of			NA	NA	NA	
inflows into						
tanks due to						
insufficient						
/delayed onset						
of monsoon						

Condition			Suggeste	Suggested Contingency measures			
	Major Farming	Normal Crop/cropping	Change in crop/cropping	Agronomic	Remarks on		
	situation	system	system	measures	Implementation		
Insufficient groundwater recharge due	Up land tube well irrigated canal sandy loam soil	Basmati rice	Maize/ Arabic Rice / Vegetable (Tomato, Brinjal, cucrbits etc)	<ul> <li>Alternate Furrow irrigation</li> <li>Drip irrigation</li> <li>and NFSM</li> <li>Harvesting and threshing</li> </ul>			
to low rainfall		Sorghum/ Maize	Pearl millet / Pigeon pea/ Blackgram		_		
		Sugarcane +cucurbits	Sugarcane		RKVY		
	Low land tube well irrigated canal clay	Rice	Pearl millet/ Blackgram/ Greengram	<ul><li>Limited irrigation</li><li>Alternate Furrow</li></ul>	• Seed through KSSC and NFSM		
	loam soil	Sorghum Fodder	Pearl millet/ Sorghum Fodder	irrigation	Micro/drip/sprinkler		
		Sugarcane + cucurbits	Sugarcane	<ul><li> Drip irrigation</li><li> Mulching</li></ul>	irrigation under govt. schemes • Supply of inter cultural implements through RKVY		

### 2.2 Unusual rains (untimely, unseasonal etc) (for both rainfed and irrigated situations)

Condition	Suggested contingency measure					
Continuous high rainfall in a short span leading to water logging	Vegetative stage	Flowering stage	Crop maturity stage	Post harvest		
Maize + Blackgram / Greengram/ Cucurbits	Provide drainage	Provide drainage	Drain out Harvesting at physiological maturity stage	Shift to safer place		
Sugarcane +Cucurbits	Provide drainage	Provide drainage	Drain out Harvesting at physiological maturity stage and Picking of cucurbits crop.	Shift to safer place		
Blackgram / Greengram	Provide drainage	Provide drainage	Drain out Harvesting at physiological maturity stage.	Safe storage against storage pest and disease		
Horticulture						
Okra	Provide drainage	Provide drainage	Picking of vegetables at physiological maturity stage	Shift to safer place		
Cucurbits	Provide drainage	Provide drainage	Drain out & Harvesting at physiological maturity stage and picking of cucurbits crop.	Shift to safer place		
Brinjal	Provide drainage	Provide drainage	Picking at physiological maturity stage	Shift to safer place		
Tomato	Provide drainage	Provide drainage	Picking at physiological maturity stage	Shift to safer place		

Mango		-	Smarr of 20/ ymag   for aidida	-
	-		Spray of 2% urea+fungicide	
Guava	-	-	Spray of 2% urea+fungicide	-
Muskmelon	-	-	Spray of 2% urea+fungicide	-
Heavy rainfall with high speed winds in a short span				
Sugarcane	<ul><li>Ear thing</li><li>Tying</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out &Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Maize/ Sorghum	Provide drainage Use Wind breaks	Provide drainage Use Wind breaks	Drain out & Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Blackgram	Provide drainage Use Wind breaks	Provide drainage Use Wind breaks	Drain out& Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Rice basmati	Provide drainage Use Wind breaks	Provide drainage Use Wind breaks	Drain out & Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Pigeon pea	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out & Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Horticulture				
Okra	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Brinjal	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Tomato	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Cauliflower	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Cucurbits	<ul><li>Provide drainage</li><li>Sowing on raised bed</li><li>Use Wind breaks</li></ul>	Provide drainage Use Wind breaks	Drain out Harvesting at physiological maturity stage Use Wind breaks	Shift to safer place
Mango	Use Wind breaks	Use of NAA spray	Use of NAA spray	-

		Use Wind breaks	Use Wind breaks	
Guava		Use of NAA spray	Use of NAA spray	
	Use Wind breaks	Use Wind breaks	Use Wind breaks	-
Muskmelon		Use of NAA spray	Use of NAA spray	
	Use Wind breaks	Use Wind breaks	Use Wind breaks	-
Outbreak of pests and diseases due to unseasonal rains				
Rice basmati	Need based plant	Need based plant	Do not use Hazardous pesticide at	
Sugarcane	protection IPDM for	protection IPDM for Rice/pluses	maturity stage	Shift to safer place
Sorghum fodder	Rice/pluses	Kicc/piuses		
Blackgram/ Greengram				
Pigeonpea				
Horticulture				
Okra	Need based plant	Need based plant	Do not use Hazardous pesticide at	
Brinjal	protection IPDM for Rice/pluses	protection IPDM for Rice/pluses	maturity stage	Shift to safer place
Tomato	Trice, piuses	rece/pruses		
Cucurbits				
Cauliflower				

## 2.3 Floods

Condition	Suggested contingency measure					
Transient water logging/ partial inundation	Seedling / nursery stage Vegetative stage Reproductive stage At harvest					
Rice basmati	<ul><li>Re sowing of nursery</li><li>Direct sowing of rice</li><li>Sowing of nursery on raised bed</li></ul>	Provide drainage	Provide drainage	Shift to safer place		
Sugarcane	Direct sowing	Provide drainage	Provide drainage	Shift to safer place		
Sorghum fodder	Direct sowing	Provide drainage	Provide drainage	Shift to safer place		
Blackgram/ Greengram	Direct sowing	Provide drainage	Provide drainage	Shift to safer place		
Pigeonpea	Direct sowing	Provide drainage	Provide drainage	Shift to safer place		

Horticulture				
Okra	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Brinjal	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	• Provide drainage	Shift to safer place
Tomato	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	• Provide drainage	Shift to safer place
Continuous submergence				
for more than 2 days				
Rice	<ul><li>Re sowing of nursery</li><li>Direct sowing of rice</li><li>Sowing of nursery on raised bed</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Horticulture	NA	NA	NA	NA
Okra	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Brinjal	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Tomato	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Mango	<ul><li>Re sowing of nursery</li><li>Sowing of nursery on raised bed</li><li>Re transplanting</li></ul>	Provide drainage	Provide drainage	Shift to safer place
Sea water intrusion	NA	NA	NA	NA

### 2.4 Extreme events: Heat wave / Cold wave/Frost/ Hailstorm /Cyclone/Fog

Extreme event type	Suggested contingency measure			
	Seedling / nursery stage Vegetative stage Reproductive stage At harvest			
Heat Wave				
Rice basmati	Re sowing of nursery	Irrigation interval should be	Irrigation interval should be decreased	Light and frequent

Light and frequent irrigation during night	decreased		irrigation
Mulching	Irrigation interval should be decreased	Irrigation interval should be decreased	Light and frequent irrigation
Re sowing	Irrigation interval should be decreased	Irrigation interval should be decreased	Make silage
Re sowing     Mulching	•Light irrigation for survival	•Light irrigation for survival	•Pod picking
Re sowing     Mulching	•Light irrigation for survival	•Light irrigation for survival	•Pod picking
<ul> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching</li> <li>Light watering during night</li> </ul>	•Light irrigation for survival	•Light irrigation for survival	•Harvesting of fruits
<ul> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching</li> <li>Light watering during night</li> </ul>	•Light irrigation for survival	•Light irrigation for survival	•Harvesting of fruits
<ul> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching of nursery beds</li> <li>Light irrigation during night</li> </ul>	•Light irrigation for survival	•Light irrigation for survival	•Harvesting of fruits
Spray of water	•Spray of water	•Spray of water	•-
Spray of water	•Spray of water	•Spray of water	•-
Spray of water	•Spray of water	•Spray of water	•-
Light irrigation	Light irrigation	Light irrigation	Light irrigation
Mulching	•Light irrigation		•Harvesting of cane
Grow some inter crop	Light Sprinkler irrigation		•Harvesting of fruits
Grow some inter crop	Light Sprinkler irrigation		•Harvesting of fruits
Grow some inter crop	Light Sprinkler irrigation		Harvesting
Grow some inter crop	• Light Sprinkler irrigation		• Hai vesting
	<ul> <li>during night</li> <li>Mulching</li> <li>Re sowing</li> <li>Mulching</li> <li>Re sowing</li> <li>Mulching</li> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching</li> <li>Light watering during night</li> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching</li> <li>Light watering during night</li> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching</li> <li>Light watering during night</li> <li>Re sowing of nursery</li> <li>Re transplanting</li> <li>Mulching of nursery beds</li> <li>Light irrigation during night</li> <li>Spray of water</li> <li>Spray of water</li> <li>Spray of water</li> <li>Tight irrigation</li> <li>Mulching</li> <li>Grow some inter crop</li> <li>Grow some inter crop</li> </ul>	Mulching	during night       • Irrigation interval should be decreased         • Re sowing       • Irrigation interval should be decreased         • Re sowing       • Light irrigation for survival       • Light irrigation for survival         • Re sowing       • Light irrigation for survival       • Light irrigation for survival         • Re sowing       • Light irrigation for survival       • Light irrigation for survival         • Re sowing of nursery       • Light irrigation for survival       • Light irrigation for survival         • Re sowing of nursery       • Light irrigation for survival       • Light irrigation for survival         • Re sowing of nursery       • Light irrigation for survival       • Light irrigation for survival         • Re sowing of nursery       • Light irrigation for survival       • Light irrigation for survival         • Re sowing of nursery       • Light irrigation for survival       • Light irrigation for survival         • Re transplanting       • Light irrigation for survival       • Light irrigation for survival         • Re transplanting       • Light irrigation for survival       • Light irrigation for survival         • Re transplanting       • Light irrigation for survival       • Light irrigation for survival         • Spray of water       • Spray of water       • Spray of water         • Spray of water       • Spray of water       • Spray of wa

Sugarcane	Light irrigation for survival	•Light irrigation for survival	•Light irrigation for survival	•Harvesting of cane
Pigeon pea	Grow as inter crop     Smoke at night	Light Sprinkler irrigation     Smoke at night	Light irrigation for survival     Smoke at night	Smoke at night
Horticulture				
Potato	Light irrigation for survival     Smoke at night	•Light irrigation for survival •Smoke at night	Light irrigation for survival     Smoke at night	•Harvesting
Tomato	Light irrigation for survival     Smoke at night	Light irrigation for survival     Smoke at night	Light irrigation for survival     Smoke at night	•De halming
Pea	Light irrigation for survival     Smoke at night	Light irrigation for survival     Smoke at night	Light irrigation for survival     Smoke at night	•Harvesting
Mango	Irrigation &Smoking during night	•Irrigation &Smoking during night	•Irrigation &Smoking during night	•
Guava	• Irrigation & Smoking during night	•Irrigation &Smoking during night	Irrigation &Smoking during night	•
Hailstorm				
All the crops	Re sowing	Re sowing of Catch crop	Harvest for fodder	Pre Harvesting
Horticulture				
All the Vegetable crops	Re sowing	Re sowing of Catch crop	Harvest for fodder	Pre Harvesting
All the Fruit crops	<ul> <li>Use anti hail net</li> <li>Spray of fungicide with 2% urea solution</li> </ul>	<ul> <li>Use anti hail net</li> <li>Spray of fungicide with 2% urea solution</li> </ul>	<ul> <li>Use anti hail net</li> <li>Spray of fungicide with 2% urea solution</li> </ul>	Harvest the damaged fruits     Spray of fungicide with 2% urea solution
Fog				

## 2.5 Contingent strategies for Livestock, Poultry & Fisheries

#### 2.5.1 Livestock

	Suggested contingency measures			
	Before the event	During the event	After the event	
Drought				

Feed and fodder availability	<ul> <li>Fodder crop Insurance</li> <li>Making of feed blocks</li> <li>Encourage farmers to allocate some lands for cultivating perennial fodder (Napier grass, Subabul), specially on bunds and wasteland</li> <li>Establishing fodder banks, encouraging fodder crops in irrigated area</li> <li>Making silage or hay of excess fodder.</li> <li>Statistics regarding feed/fodder availability and requirement should be updated by the concerned deptt.</li> <li>Seed production and development of drought resistant crops and their varieties of fodder crops.</li> <li>Encourage farmers to adopt sprinkler irrigation system.</li> <li>Training to the farmers and extension functionaries for production and long term storage of feed and fodder.</li> </ul>	<ul> <li>Utilizing fodder from perennial trees/shrubs/fodder bank reserves for small ruminant.</li> <li>Utilizing stored fodder as silage, hay, feed blocks &amp; mixture etc.</li> <li>Migration of herd /flock to other places.</li> <li>Establishment of communication and linkage with other state agencies.</li> </ul>	<ul> <li>Availing crop insurance</li> <li>Cultivation of fast growing green fodder crops.</li> <li>Development of drought resistance fodder.</li> <li>Increase the no. of Fodder Banks for future use.</li> </ul>
Drinking water	<ul> <li>Preserving water in the pond/tank for drinking purpose.</li> <li>Excavation of bore well/creation of tanks or ponds.</li> <li>De-silting of village ponds on regular basis and adopt water harvesting techniques through water shed approach.</li> <li>Filling of the ponds with canal/tube well water during lean period.</li> </ul>	<ul> <li>Using preserved water in the tanks for drinking</li> <li>Available ground water should be used for drinking on priority basis.</li> </ul>	•Recharge of well/ Tanks etc.
Health and disease management	<ul> <li>Farmers should be encouraged to avail Livestock insurance</li> <li>Training to livestock owners regarding natural calamities.</li> <li>Veterinary preparedness with medicines and vaccines.</li> <li>Vaccination</li> </ul>	<ul> <li>Conduction mass animal health camp and treating the effected animals.</li> <li>Mass campaigning though different media regarding possible outbreak of diseases and their management.</li> </ul>	<ul> <li>Availing insurance benefits.</li> <li>Followed standard Livestock management practices.</li> <li>Proper health care &amp; treatment.</li> </ul>
Floods			

Feed and fodder availability  Drinking water	<ul> <li>Fodder crop Insurance</li> <li>Making of feed blocks</li> <li>Encourage farmers to allocate some lands for cultivating perennial fodder (Napier grass, Subabul), specially on bunds and wasteland</li> <li>Establishing fodder banks, encouraging fodder crops.</li> <li>Making silage or hay of excess fodder and that should be stored on up land.</li> <li>Statistics regarding feed/fodder availability and requirement should be updated by the concerned deptt.</li> <li>Seed production and development of crops and their varieties of fodder crops for water logged conditions.</li> <li>Training to the farmers and extension functionaries for production and long term storage of feed and fodder.</li> <li>Making suitable provision for safe drinking surface water including excavation of bore well/hand pump (India mark—II) at community level.</li> <li>Make farmers aware not to use contaminated/ flood water for drinking purpose.</li> </ul>	<ul> <li>Utilizing fodder from perennial tress/shrubs/fodder bank reserves.</li> <li>Use of feed mixture/block hay etc</li> <li>Migration of flock /herds</li> <li>Establishment of communication and linkage with other state agencies</li> </ul>	<ul> <li>Availing crop insurance</li> <li>Cultivation of fast growing green fodder crops</li> <li>Open sources of drinking water (tank/well ) should be further treated with potassium per magnate.</li> </ul>
Health and disease management	<ul> <li>Live stock Insurance</li> <li>Training to livestock owners regarding natural calamities.</li> <li>Veterinary preparedness with medicines and vaccines.</li> <li>Vaccination</li> </ul>	<ul> <li>Conduction mass animal health camp and treating the effected animals.</li> <li>Training to livestock owners regarding natural calamities.</li> <li>Establishment of Co-ordination with other Agencies.</li> <li>Use of mass media to spread expat advice</li> <li>.</li> </ul>	<ul> <li>Culling sick animals</li> <li>Availing insurance benefits.</li> <li>Culling unproductive livestock</li> <li>Proper disposal of corpse of dead bodies to prevent the spread of contagious diseases.</li> </ul>
Cyclone N.A	N.A	N.A	N.A
Heat wave and cold wave			

Shelter/environment management	<ul> <li>Avoid use of GI sheet for roofing in the animal shed</li> <li>Create adequate sources for additional supply of water to protect the animals from heat waves.</li> <li>Establishment of modern shelter sheds.</li> <li>As far as possible grow shade trees such as Neem, Pilkhan, Karanj etc near the animal sheds.</li> <li>Make provision for adequate no. of fans/coolers /heaters according to the situation, if possible</li> </ul>	<ul> <li>Provide the thatches/ tarpaulins/ rags in the animal sheds to protect against direct entry of hot/ cold waves</li> <li>Provide proper bedding to prevent from cold and proper ventilation to prevent from heat.</li> <li>Provide drinking water to animal frequently during heat wave</li> <li>Watch the forecast of weather department.</li> <li>As for as possible the animal should be allowed to wallow in pounds/ canals/ river or give bath once or twice in a day during heat waves</li> </ul>	Repair and maintenance of additional facilities
Health and disease management	<ul> <li>Insure the animals</li> <li>Training to livestock owners/ para-vets regarding preventive measure against extreme weather conditions</li> <li>Veterinary preparedness with medicines and vaccines etc.</li> <li>Vaccination against FMD &amp;Cold</li> </ul>	<ul> <li>Organize village level animal health camps</li> <li>Consult veterinary officer immediately if any adverse symptoms are noticed</li> <li>Use of ITKs for food supplements</li> </ul>	<ul> <li>Proper after care of animals.</li> <li>Availing insurance benefits.</li> <li>Proper disposal of corpse of dead bodies to prevent the spread of contagious diseases.</li> </ul>

### **2.5.2 Poultry**

	Suggested contingency measures			Convergence/linkages with ongoing programs, if any
	Before the event <sup>a</sup>	During the event	After the event	
Drought				
Shortage of feed ingredients	<ul> <li>Making and storage of feed concentrates</li> <li>Awareness regarding traditional feed banks.</li> <li>Feed requirement data should be generated</li> <li>Prepare the feed requirement data base of poultry farm.</li> <li>Store the feed ingredients</li> </ul>	Use of feed concentrates/ mixture/blocks etc  Establishment of communication with other state agencies.  Use of locally available feed recourses.  Import the feed recourse form other states.	Availing insurance     Increase the no. of feed banks for future use	

Drinking water	Making extra facility for drinking water.	Frequent supply of drinking water		
	Repair & maintenance of water resources			
Health and disease management	<ul> <li>Veterinary preparedness with medicines and vaccines.</li> <li>Vaccination</li> <li>Training to poultry Growers regarding natural calamities.</li> </ul>	Treatment of affected poultry birds	Culling of flock     Availing insurance benefits     Proper disposal of corpse of dead bodies to prevent the pared of contagious diseases	
Floods				
Shortage of feed ingredients	Sufficient quantity of feed ingredients should be stored	<ul> <li>Use of stored feed in balanced form</li> <li>Prevent the feed from moisture.</li> </ul>	<ul> <li>Cleaning of feed store &amp; repair if any.</li> <li>Moist feed should be dried &amp;treated as per requirement</li> </ul>	
Drinking water	Make provision of ground water for drinking	Use only Ground water obtained from India Mrka II or Tubewell	Repair, maintenance and cleaning of water recourse     Sanitation of open Wells	
Health and disease management	<ul><li> Veterinary preparedness with medicines and vaccines</li><li> Vaccination</li></ul>	<ul><li> Migration of flock if required</li><li> Treatment</li></ul>	<ul><li>Availing insurance benefits.</li><li>Culling of unproductive flock</li></ul>	
Cyclone	NA	NA	NA	
Shortage of feed ingredients	<ul> <li>Storage and making of feed concentrates</li> <li>Proper feed requirement data base</li> </ul>	<ul> <li>Establishment of communication with other state agencies</li> <li>Use of stored feed ingredient</li> <li>Import of feed from other areas</li> </ul>	Repair and maintenance of feed store	
Drinking water	Make provision of ground water for drinking	Use only Ground water obtained from India Mrka II or Tubewell	Repair and maintenance of water recourse	
Health and disease management	<ul> <li>Training to poultry growers regarding natural calamities.</li> <li>Veterinary preparedness with</li> </ul>	Treatment of injured poultry birds.	<ul><li>Culling of flock</li><li>Availing insurance benefits.</li><li>Proper disposal of corpse of dead</li></ul>	

	medicines and vaccines.		bodies to prevent the pared of contagious diseases.	
Heat wave and cold wave				
Shelter/environment management	<ul> <li>Making sufficient provision of shelter to protect live stock from heat and cold waves</li> <li>Establishment of alternate resource for water supply.</li> <li>Modern shelter sheds.</li> </ul>	<ul> <li>Keep the birds in appropriate shelter</li> <li>Provide proper bedding to prevent from cold and proper ventilated to prevent from heat</li> <li>Provide drinking water to birds frequently.</li> <li>Adopted proper management practices.</li> <li>Watch the fore cast of weather department.</li> </ul>	<ul> <li>Making of modern shelter sheds</li> <li>Increase the plantation of trees</li> </ul>	
Health and disease management	<ul> <li>Insurance</li> <li>Veterinary preparedness with medicines and vaccines</li> <li>Training to poultry growers regarding natural calamities</li> </ul>	<ul> <li>Provide proper treatment as per requirement</li> <li>Treatment of injured poultry</li> </ul>	<ul> <li>Availing insurance benefits</li> <li>Culling of unproductive flock</li> <li>Proper disposal of corpse of dead bodies to prevent the pared of contagious diseases</li> </ul>	•

<sup>&</sup>lt;sup>a</sup> based on forewarning wherever available

## 2.5.3 Fisheries/ Aquaculture

	Suggested contingency measures		
	Before the eventa	During the event	After the event
1) Drought			
A. Capture			
Marine	_	-	-
Inland			
(i) Shallow water depth due to insufficient rains/inflow	Adopt appropriate measures to reduce water seepage or infiltration	Harvest the crop partially	• Re stock
(ii) Changes in water quality	Regular observation to check the water	<ul><li>Add oxy-flow to improve oxygen</li><li>Churning of pond water</li></ul>	Maintain appropriate level of water if possible

	quality and remove the pollutants if any.		Check the water quality and remove the pollutants if any.
(iii) Any other	_	_	_
B. Aquaculture			
(i) Shallow water in ponds due to insufficient rains/inflow	<ul> <li>Adopt appropriate measures to reduce water seepage or infiltration from ponds</li> <li>Avoid any kinds of water pollution and maintain water pH</li> </ul>	<ul> <li>Ensure the Oxygen availability into ponds for the survival of fish</li> <li>Avoid any kind of water pollution</li> <li>Add oxy-flow to improve oxygen into ponds.</li> <li>Churning of pond water</li> </ul>	Maintain appropriate level of water in ponds     Check the water quality and remove the pollutants if any.
(ii) Impact of salt load build up in ponds / change in water quality	Add some fresh water from other source like cannel etc	<ul> <li>Add oxy-flow to improve oxygen into ponds.</li> <li>Churning of pond water</li> <li>Add fresh water into pond for life saving and to reduce salt load</li> </ul>	<ul> <li>Add fresh water into pond for life saving and to reduce salt load</li> <li>Maintain appropriate level of water in ponds</li> <li>Check the water quality and remove the pollutants if any.</li> </ul>
(iii) Any other		-	
2) Floods	_		
A. Capture			
Marine			
Inland			
(i) No. of boats / nets/damaged	Boats, nets etc should be taken out from water bodies	Close supervision of flood condition	Damaged boat or nets should be repaired
(ii) No. of houses damaged	_	_	Repair the damaged house.
(iii) Loss of stock	-	_	Sanitation and proper disposal of corpse
(iv) Changes in water quality	• Increase the hight of bunds.		
(v) Health and diseases		• Treatment if possible	
B. Aquaculture			
(i) Inundation with flood water	<ul> <li>Repair the bunds to prevent the inflow of water</li> <li>If inflow water is not polluted then place the net at inlet and outlet</li> <li>Raise the height of bunds</li> <li>Plan a proper drainage system at</li> </ul>	<ul> <li>Avoid inflow of flood water from outside.</li> <li>If inflow water is not polluted that can be permitted to flow through net placed at inlet and outlet of pond.</li> <li>Fencing of net required in case of</li> </ul>	<ul> <li>Repair the damaged bunds</li> <li>Check water quality</li> <li>Change the water if it is polluted</li> </ul>
	farm  • Plantation of soil binding plants at	overflow to avoid the migration of fish	

	bund		
	Julia		
(ii) Water contamination and changes in water quality	• Limeing @300 kg/ha		Maintain appropriate level of water in ponds
		Stop inflow of contaminated water	Check the water quality and remove the pollutants if any.
(iii) Health and diseases	• Limeing @300 kg/ha	Diagnostic measures and provide	I imain and madication are man
	Vaccination	appropriate medicines	Limeing and medication as per requirement
			Use Cifex to control ulcerative syndromes
	Marketable stock should be sold	Immediately remove the dead fishes	
(iv) Loss of stock and inputs (feed, chemicals etc)		from ponds and do sanitation	After sanitation add new stock
(v) Infrastructure damage (pumps, aerators, huts etc)	Dommageable infrastructures should be secured	Do not supplié Electric in flood éd area	Repaire and service the damage infrastructure
(vi) Any other			
3. Cyclone / Tsunami	NA	NA	NA
4. Heat wave and cold wave			
A. Capture			
B. Aquaculture			
(i)Changes in pond environment (water	Maintain appropriate level of water in ponds <i>ie</i> . 1.75m in 2m deep ponds	Maintain appropriate level of water in ponds <i>ie</i> . 1.75m in 2m deep ponds	Maintain appropriate level of water in ponds <i>ie</i> . 1.75m in 2m deep ponds
quality)	Check the water quality and remove the pollutants if any	Check the water quality and remove the pollutants if any	Check the water quality and remove the pollutants if any
i) Health and Disease management	Limeing@300kg/ha	Medication as per requirement	<ul> <li>Remove the dead fishes from ponds and add new stocks to compensate</li> <li>the production</li> </ul>
(ii) Any other			

<sup>&</sup>lt;sup>a</sup> based on forewarning wherever available